

WEMT Clinical Skills Checklist

Version 1.4 September 25, 1999



Student Name

Comments to:
 Keith Conover, M.D., FACEP, Medical Director
 36 Robinhood Road, Pittsburgh, PA 15220-3014
 412-561-3413 kconover+@pitt.edu

Italics indicates optional items

- Initial directed H & Ps on patients with common simple problems
¹
- Examination of throat and examination of ears with otoscope
- Rectal examinations for prostate position and gross blood
- Examination of minor musculoskeletal extremity injuries, particularly knees and ankles, and correlation with X-rays when done
- Observation of minor wound repair and suturing
- Observation of physical signs of fluid overload in CHF patient (jugular venous distension, râles, S3 gallop)
- *Observe (or assist with) anterior shoulder dislocation reduction*
- *Slit lamp exam of corneal abrasions²*
- *Observation of common rashes and insect bites*
- Examination of normal lungs
- Examination of lungs in patients with auscultatory findings, e.g., CHF, pneumonia, asthma
- Placement of male and female urinary catheters (EMT-Ps should place, EMT-Basics should observe) male
female
- Placement of nasogastric tubes (EMT-Ps should place, EMT-Basics should observe)

¹ Boxes to be initialed by nurse, nurse practitioner or doctor on completion; students should complete all boxes for recommended clinical training.

² Should first examine with fluorescein/small high-intensity penlight (e.g., Mini-Maglite™) as in the field. (Krypton bulbs put out plenty of UV and make fluorescein fluoresce even without cobalt (blue) filter.) Students then compare that view with slit lamp.